



Fiber optic Hybrid adaptor portfolio

Edition 2013




Hybrid adaptors


LSH-FCPC / 2-hole flange

| | Adaptor type | Colour | Features | Item no. | Description | Packing unit |
|---|--------------|--------|-----------|----------|----------------|--------------|
|  | PC | blue | wide key | 22664001 | FLSH-FCPC-D101 | 1 |
| | APC | green | wide key | 22664002 | FLSH-FCPC-D601 | |
| | APC | green | small key | 22664020 | FLSH-FCPC-D602 | |


LSH-SC / 2-hole flange

| | Adaptor type | Colour | Item no. | Description | Packing unit |
|---|--------------|--------|----------|---------------|--------------|
|  | PC | blue | 22664005 | FLSH-FSC-D101 | 1 |
| | APC | green | 22664006 | FLSH-FSC-D601 | |


SC-FCPC / 2-hole flange

| | Adaptor type | Colour | Features | Item no. | Description | Packing unit |
|---|--------------|--------|-----------|----------|---------------------|--------------|
|  | PC | blue | wide key | 22651707 | FSC-FCPC-D101 | 1 |
| | | | | 84030646 | FSC-FCPC-D101_100-P | 100 |
| | APC | green | small key | 84082573 | FSC-FCPC-D600 | 1 |
| | | | | 84030205 | FSC-FCPC-D600_100-P | 100 |


SC-FCPC / snap-in flange

| | Adaptor type | Colour | Features | Item no. | Description | Packing unit |
|---|--------------|--------|-----------|----------|---------------------|--------------|
|  | PC | blue | wide key | 23010314 | FSC-FCPC-A100 | 1 |
| | | black | wide key | 23010315 | FSC-FCPC-A101 | |
| | APC | green | small key | 84030224 | FSC-FCPC-A600_100-P | 100 |


ST-FCPC

| | Adaptor type | Features | Item no. | Description | Packing unit |
|---|--------------|----------|----------|---------------|--------------|
|  | PC/APC | wide key | 22649103 | FST-FCPC-C100 | 1 |


Adaptor dimensions




Installation dimensions




Adaptor dimensions




Installation dimensions




Adaptor dimensions




Installation dimensions




Adaptor dimensions




Installation dimensions



Adaptor dimensions




Installation dimensions




Hybrid adaptors


SC-ST / 2-hole flange

| | Adaptor type | Colour | Item no. | Description | Packing unit |
|---|--------------|--------|----------|--------------------|--------------|
|  | PC | blue | 22651708 | FSC-FST-D100 | 1 |
| | PC | black | 23004792 | FSC-FST-D101_100-P | |


SC-ST / snap-in flange

| | Adaptor type | Colour | Item no. | Description | Packing unit |
|---|--------------|--------|----------|--------------|--------------|
|  | PC | blue | 23010316 | FSC-FST-A100 | 1 |
| | PC | black | 23010317 | FSC-FST-A101 | |


SC-ST duplex/ 2-hole flange

| | Adaptor type | Colour | Item no. | Description | Packing unit |
|---|--------------|--------|----------|-----------------------|--------------|
|  | PC | beige | 22659199 | FSC-FST-D100-02_100-P | 100 |


SC-LC / snap-in flange

| | Adaptor type | Colour | Item no. | Description | Packing unit |
|---|--------------|--------|----------|--------------|--------------|
|  | PC | blue | 23029196 | FSC-FLC-A100 | 1 |


LC-LX.5 / snap-in flange

| | Adaptor type | Colour | Item no. | Description | Packing unit |
|---|--------------|--------|----------|------------------|--------------|
|  | PC | blue | 23039756 | FLX5-FLC-A100-02 | 1 |
| | | beige | 23039757 | FLX5-FLC-A200-02 | |
| | APC | green | 23039758 | FLX5-FLC-A600-02 | |


Adaptor dimensions




Installation dimensions




Adaptor dimensions




Installation dimensions




Adaptor dimensions




Installation dimensions




Adaptor dimensions




Installation dimensions



Adaptor dimensions



Installation dimensions



HUBER+SUHNER AG
Fiber Optics Division
Degersheimerstrasse 14
9100 Herisau
Switzerland
Phone +41 71 353 4111
Fax +41 71 353 4444
hubersuhner.com

HUBER+SUHNER is certified according to EN 9100,
ISO 9001, ISO 14001, ISO/TS 16949 and IRIS.

Waiver

Fact and figures herein are for information only and do not represent any warranty of any kind.